

	L #	Hits	Search Text	DBs
1	L8	6793	(group or farm or cluster) near3 server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L9	363	8 with (define or defined or defining)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L10	227	9 and (request or requesting or requested or access or accessing or accessed) near5 (server) same (group or farm or cluster)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L11	130	9 and (request or requesting or requested or access or accessing or accessed) near5 (server) near5 (group or farm or cluster)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L12	127	11 and (server or member or resource or group or farm or cluster) near5 (available or used or use or using)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L13	53	12 and (permit\$4 or permission or deny or denied or denial or denying) near5 (access or request)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L14	0	13 and (@ad<02022000 or @prad<02022000)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L15	0	12 and (@ad<02022000 or @prad<02022000)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L16	0	9 and (@ad<02022000 or @prad<02022000)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L17	10	13 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L18	2220 0	(mirror\$3 or duplicat\$4 or replica\$4) near5 (resource or file or object)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L19	6315	18 and (network or internet)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
13	L20	2375	19 and (assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L21	764	20 and (709/\$.ccls. or 718/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
15	L22	436	21 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L23	1763	20 and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
17	L24	1156	23 and client	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
18	L25	448	24 and (709/\$.ccls. or 718/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L26	249	25 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L27	232	26 not bowman-amuah.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L28	419	19 and ((assign\$4 or allocat\$4 or reserv\$5) near4 (resource or file or object)).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
22	L29	335	28 and (modify or modified or modifying or modification or write or writing or alter\$5 or chang\$3) near5 (file or resource or object)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L30	253	28 and client	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L31	142	(29 or 30) and (709/\$.ccls. or 718/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L32	81	31 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L33	81	20 and ((pool\$3 or group\$3 or cluster\$3) near4 (resource or file or object)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
27	L34	46	33 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
28	L35	41	34 not 32	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
29	L36	5	34 and 32	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
30	L37	0	20020013847.URPN.	USPAT
31	L38	20	("5165018" "5193152" "5291488" "5295139" "5430727" "5459713" "5491822" "5509123" "5548585" "5561769" "5574860" "5594780" "5610910" "5652908" "5737333" "5790548" "5842125" "5856974" "5872928" "6041347").PN.	USPAT
32	L39	40	35 not bowman-amuah.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	2231	(select\$4 or request\$4) with (group or set or cluster) near4 resource	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	344	(client or user) near4 (select\$4 or request\$4) with (group or set or cluster) near4 resource	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	95	2 same (access\$4 with (member or node or resource or server))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	38	3 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	67	5794035.URPN.	USPAT
6	L6	1	5794035.pn. and manag\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	682	group near5 resource and (add\$3 or subtract\$3) near3 resource	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L8	116	group near5 resource and (add\$3 or subtract\$3) near3 resource with group	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	56	8 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	233	group near5 resource and (add\$3 or subtract\$3) near3 (member or resource) with group	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L11	83	10 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L12	251	group near5 resource and (add\$3 or subtract\$3 or remov\$3) near3 (member or resource) with group	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L13	87	12 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L14	185	group\$3 near5 resource and (add\$3 or subtract\$3 or remov\$3) near3 (member or resource) near5 group	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
15	L15	70	14 and (@ad<20000202 or @prad<20000202)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB